

Frigidaire

Factory Parts Catalog

Product No.	FGF355FSB	FGF355FWB
Series	30" f/s gas	30" f/s gas
Color	white	black/white
Market	North America	North America
Wiring Diagram	316417800	316417800
Owner's Guide	316417104	316417104
Installation Instructions	316259336	316259336
Service Data Sheet	316417605	316417605

Electrolux

Electrolux Major Appliances
North & Latin America
P.O. BOX 212378
AUGUSTA, GA 30917

Publication No.
5995462040
06/02/24
(EN/SERVICE/BJH)
369

30-INCH FREE-STANDING GAS RANGE

Model No.
FGF355F

Copyright © 2006 Electrolux Home Products, Inc.
All rights reserved.

BACKGUARD



BACKGUARD

Model Index: A FGF355F (FGF355FSB)
B FGF355F (FGF355FWB)

POS. NO	PART NO.			DESCRIPTION
1	316416100	A	B	Shield, backguard, rear wall
2	316051600	A	B	Shield, backguard, inner
2A	316235100	A	B	Shield, top, inner
15	316411403	A	-	Support, backguard, white, RH
15	316411405	-	B	Support, backguard, black, RH
15A	316411402	A	-	Support, backguard, white, LH
15A	316411404	-	B	Support, backguard, black, LH
19	316445222	A	-	Panel-backguard, white
19	316445221	-	B	Panel-backguard, black
20 #	316418205	A	B	Clock/Timer, electronic, ES200
20A	316419101	A	-	Overlay, clock, white, ES200
20A	316419100	-	B	Overlay, clock, black, ES200
23	316441600	A	B	Bracket-clock mtg, black
24 #	316448701	A	-	Switch, rocker, white, oven light
24 #	316448700	-	B	Switch, rocker, black, oven light
36	316220000	A	-	Knob, top valve, white, (4)
36	316220002	-	B	Knob, top valve, black, 4
40	316204987	A	-	Panel, manifold, white
40	316204988	-	B	Panel, manifold, black
42	316416201	A	-	Trim, extrusion, gray
42	316416200	-	B	Trim, extrusion, black
56	316230701	A	B	Shield, backguard, inner
*	316021105	A	B	Screw, hex head cup pt, 8-18 x 0.375, black
*	316021108	A	B	Screw, cup pt, 8-18 x 0.375, chrome
*	316021109	A	B	Screw, 8-18 x 0.5, chrome
*	316021110	A	B	Screw, 8-18 x 0.5, black

BURNER


11
44C
37
47
11C
44C
37
47
10C
11
10C
11C
10C
11
10C
11C
2C
2C
2C
2C
1
3
8
13
15
21
25
16
14
26
23
20
24
22
18
19
17
T24B0001

BURNER

Model Index: A FGF355F (FGF355FSB)
B FGF355F (FGF355FWB)

POS. NO	PART NO.		DESCRIPTION
1 #	316219500	A B	Pipe, manifold
2C #	5303935234	A B	Valve, 9.5K burner, w/mtg screw
3 #	316219004	A B	Wiring Harness, w/igntr switch
8 #	316135701	A B	Module, spark
10C#	316212400	A B	Burner, sealed, 9.5K
11 #	316237701	A B	Ignitor/orifice assy., top burner, rear, 9.5K, w/holder, tube
11C#	316237800	A B	Ignitor/orifice assy., top burner, front
13 #	316405300	A B	Tube, 3/8, aluminum, rgltr to manf, with fittings
14 #	316091706	A B	Regulator, pressure
14*	316021104	A B	Screw, hex, 8-18 x 3/8, nick, (3), regulator brkt
15	316091600	A B	Bracket, regulator
16 #	316405500	A B	Tube, valve to regul., 3/8
17 #	316404901	A B	Valve, safety
17*	08068018	A B	Shield, wire, safety valve
18 #	316404400	A B	Burner, oven
19 #	316428501	A B	Ignitor, oven burner
20	316401401	A B	Baffle, oven burner
21	5303013272	A B	Nut, hex head sems
22 #	316405401	A B	Tube, valve to mixer
23 #	316404300	A B	Burner, broiler
24 #	316409700	A B	Elbow, mixer
25	316401301	A B	Baffle, broil burner
26 #	316428601	A B	Ignitor, burner
26*	316401500	A B	Cover, broil Ignitor
37	316240600	A B	Screw, assy mtg, ignitor/orifice
44C	316237902	A B	Orifice, top burner, 9.5K
47	GRLP2	A B	LP Conversion Kit, w/instructions
47*	316248105	A B	Instructions, LP kit
* #	316253700	A B	Wiring Harness, ignitor module
*	316001003	A B	Screw, ground wire
*	316215600	A B	Screw, valve mtg., 1/4 - 20
*	5303271648	A B	Screw, wafer hd sq dr, 8-18AB x 0.5

BODY



NOTE: Oven Liner N/A
Ass. du four N/A

T24V0025

BODY

Model Index: A FGF355F (FGF355FSB)
B FGF355F (FGF355FWB)

POS. NO	PART NO.		DESCRIPTION
1	316401600	A B	Back, main
2	316402201	A B	Shield, oven top
2*	316437100	A B	Brace, oven top
3	316400116	A B	Panel, bodyside, white, RH
3	316400117	A B	Panel, bodyside, white, LH
4	316201403	A B	Burner Box
5	316272900	A B	Screw, leveling, plastic, rear, (2)
5A	316407201	A B	Leveling Leg Assy, metal, front, (2), bracket & leg
6	316404500	A B	Rack, oven
8	316400603	A B	Panel, oven bottom
12	316445501	A B	Switch, oven light, door frame
14	316116400	A B	Receptacle, oven light
15	5303013071	A B	Bulb/Lamp, light
16	08011086	A B	Lens, oven light, glass
17	316087500	A B	Retainer, lens
18 #	316405800	A B	Latch Assembly, oven door
21	316408000	A B	Clip, bodyside
25	316406200	A B	Shield, heat, lower
29	316407301	A B	Glide, drawer, front
30	316217700	A B	Bracket, hinge, RH, main top
30A	316217701	A B	Bracket, hinge, LH, main top
33	316405900	A B	Shield, rear wall
35	316116600	A B	Gasket, flue
36	316208901	A B	Flue
37 #	316217001	A B	Probe, oven temp
39	3202006	A B	Cord, electric power
42	316400703	A B	Shield, wool, lower
43	3131732	A B	Screw, 8-18 x 1.438, oven bottom
44	316246501	A B	Spacer, oven door
49	316234200	A B	Clip, maintop mtg, (2)
54	316404200	A B	Shield, heat
55	316404800	A B	Shield, flue
58A	316403700	A B	Insulation, oven wrapper
58B	316403600	A B	Insulation, oven back
58G	08067973	A B	Insulation, main front
82	316400801	A B	Shield, bake burner
82*	316432800	A B	Clip, wire
86	316441300	A B	Receptacle, hinge
86*	316418901	A B	Screw, trilobe, 10-32 x 5/16"
87	316401200	A B	Bracket, harness
88	316232700	A B	Rod, auto latch
89 #	316415400	A B	Motor, latch/lock
90	316401100	A B	Shield, main front
91	316401000	A B	Shield, front, burner
151	316404600	A B	Shield, bodyside
170	5303935180	A B	Anti-tip Kit, w/bracket, screw
170*	316107200	A B	Bracket, anti-tip
170*	316112500	A B	Template, anti-tip
170*	316116000	A B	Screw, concrete, 1.75", anti-tip brkt

BODY



NOTE: Oven Liner N/A
Ass. du four N/A

T24V0025

BODY

Model Index: A FGF355F (FGF355FSB)
B FGF355F (FGF355FWB)

POS. NO	PART NO.			DESCRIPTION
*	5303321319	A	B	Paint, touch-up, white
*	5303305345	-	B	Paint, touch-up, black
*	316416600	A	B	Harness, wiring, main
*	316021105	A	B	Screw, hex head cup pt, 8-18 x 0.375, black
*	316021108	A	B	Screw, cup pt, 8-18 x 0.375, chrome
*	316021110	A	B	Screw, 8-18 x 0.5, black
*	316089500	A	B	Screw, 10-16 x .486
*	5303271648	A	B	Screw, wafer hd sq dr, 8-18AB x 0.5
*	5303285179	A	B	Screw, wafer head, 8-32T x 0.500, black

TOP/DRAWER





TOP/DRAWER

Model Index: A FGF355F (FGF355FSB)
B FGF355F (FGF355FWB)

POS. NO	PART NO.			DESCRIPTION
1	316408701	A	B	Drawer, utility
2	316403200	A	B	Liner, drawer
4	316403401	A	B	Panel, drawer, white, front
7	316407400	A	B	Glide, drawer, rear
16	316202317	A	B	Main Top, white
20	316213801	A	-	Grate, gray
20	316213800	-	B	Grate, black
22C	316213501	A	-	Cap, 9.5K burner, gray
22C	316213500	-	B	Cap, 9.5K burner, black
88	316099500	A	B	Pin, guide, (2)
*	316021105	A	B	Screw, hex head cup pt, 8-18 x 0.375, black
*	316021108	A	B	Screw, cup pt, 8-18 x 0.375, chrome
*	316021109	A	B	Screw, 8-18 x 0.5, chrome
*	316021110	A	B	Screw, 8-18 x 0.5, black

DOOR



DOOR

Model Index: A FGF355F (FGF355FSB)
B FGF355F (FGF355FWB)

POS. NO	PART NO.			DESCRIPTION
3	316402001	A	-	Trim, oven door, white
3	316402002	-	B	Trim, oven door, black
4	316402603	A	-	Glass, door, white
4	316402604	-	B	Glass, door, black
6	316402309	A	B	Shield, wool
7	316403901	A	B	Insulation, oven door
8	316427701	A	B	Glass, oven door, inner
9	316423803	A	B	Liner, oven door
10	316001009	A	B	Screw, waf hd sq, 10-24 x 1.88, (2), handle mtg
10B	316008401	A	B	Washer, 3/4 OD x 1/4 ID, steel
12	316403101	A	B	Seal, oven door
17	316408803	A	B	Spacer, door glass, (2)
20	316248401	A	-	Spacer, handle, white, (2)
20	316248400	-	B	Spacer, handle, black, (2)
23	316456301	A	B	Hinge, oven door, yellow titan, (2)
23*	316418900	A	B	Screw, sims lp, #8-32 x 5/16", black
39	316248301	A	-	Handle, oven door, white
39	316248300	-	B	Handle, oven door, black
52	316405100	A	-	Cap, door trim, white
52	316405101	-	B	Cap, door trim, black
60B	316021110	A	B	Screw, 8-18 x 0.5, black
*	316433603	A	B	Label, anti-tip
*	316021109	A	B	Screw, 8-18 x 0.5, chrome
*	5303271648	A	B	Screw, wafer hd sq dr, 8-18AB x 0.5
*	5303285179	A	B	Screw, wafer head, 8-32T x 0.500, black

WIRING SCHEMATIC



NOTES:

1. CIRCUIT SHOWN WITH ALL CONTROLS SET TO OFF, OVEN DOOR CLOSED AND UNLOCKED.
2. COMPONENTS WITH * DO NOT APPEAR ON ALL MODELS.

316417800

WIRING DIAGRAM



NOTES:

1. SERVICE: IF REPLACEMENT OF WIRING BECOMES NECESSARY COMPARABLE WIRE AND TERMINALS HAVING SAME CHARACTERISTICS AS THE ORIGINAL MUST BE USED.
2. CAUTION: LABEL ALL WIRES PRIOR TO DISCONNECTION WHEN SERVICING CONTROLS. WIRING ERRORS CAN CAUSE IMPROPER AND DANGEROUS OPERATION. VERIFY PROPER OPERATION AFTER SERVICING.
3. * THESE ITEMS MAY NOT APPEAR ON ALL MODELS.

WIRE	AWG	TEMP °C	UL STYLE
4	16	125	3173
3	18	125	3173
2	20	150	3321
1	20	125	3173

316417800

WARNING

DISCONNECT POWER, BEFORE SERVICING UNIT.

TRACER WIRE: WIRE COLOR NOTED FIRST, STRIPE NEXT. EXAMPLE: GREEN WIRE WITH YELLOW STRIPE.

G/Y-8

COLOR CODE			
BK	BLACK	P	PINK
BL	BLUE	PR	PURPLE
BR	BROWN	R	RED
C	COPPER	T	TAN
G	GREEN	V	VIOLET
GY	GRAY	W	WHITE
O	ORANGE	Y	YELLOW